

PRICE LIST

SCISSOR LIFTS LOW LEVEL BOOM LIFTS ROUGH TERRAIN TOWABLE BOOM LIFTS ACCESS TOWERS STEPS, LADDERS AND PLATFORMS

POWERED ACCESS SPECIALIST TEAM

01702 561820

www.mark1hire.co.uk

POWERED ACCESS TROUBLESHOOTING

PROBLEM: WORKING CONDITIONS	Slopes, uneven ground, potholes, loose terrain and steep inclines		
SOLUTION	4x4 tracked machines with stabiliser legs		
HOW IT WORKS	4x4 means to drive all four wheels creating more traction to get through the roughest of terrain. Stabiliser legs can be deployed and level the machine before ascending.		
MACHINES TO CONSIDER	SD120T • TD120T • RT Scissor Lifts • SD170T		

PROBLEM: OBSTRUCTIONS	Girders, overhangs, conservatories and fencing		
SOLUTION	Boom lifts - articulated with a jib arm		
HOW IT WORKS	Articulated boom lifts enable the user to go up and over most obstacles and the jib arm allows you to get into those tight spaces.		
MACHINES TO CONSIDER	HR12 • HR17 • HR17N • HR21 • HR28 • SJ30		

MACHINES TO CONSIDER	GR15 • GR20 • 19' Scissor • 26'/32' N Scissor • Star10 • HR12N • HR17N	
HOW IT WORKS	Narrow access machines have a much smaller width than standard machines enabling the user to get through single doorways and access those tight gaps.	
SOLUTION	Narrow scissor lifts or narrow boom lifts	
PROBLEM: CONFINED SPACES	Narrow single doorways, tight alleyways and between warehouse racking	


PROBLEM: NOISE LEVELS	Low noise constraints, early morning work and night work		
SOLUTION	Hybrid or electric machines		
HOW IT WORKS	Electric access machines run off battery power causing very low noise levels. Hybrid technology gives you both diesel and electric options.		
MACHINES TO CONSIDER	All electric scissors and hybrid booms		

MACHINES TO CONSIDER	AWP25S • AWP30S • Power Tower • Nano SP • GR15 • AWP40S • S3010 • SJ16		
HOW IT WORKS	Light weight access machines are built specifically for this job. Ideal for 1 person and compact and light weight enough to go in a lift or be pushed into the working area.		
SOLUTION	Low weight access machines under 1 Ton		
PROBLEM: WEIGHT RESTRICTIONS	Mezzanine floors, delicate floors, tiled floors, and weight restricted elevators		

PROBLEM: EMISSIONS	Green sites, LEZ zones and no pollution
SOLUTION	Hybrid or electric machines
HOW IT WORKS	Hybrid machines have the capability to work in just battery mode where in the past this has only been achievable with a diesel only engine.
MACHINES TO CONSIDER	All electric scissors and hybrid booms

MACHINES TO CONSIDER	All electric scissors and hybrid booms	
HOW IT WORKS	All our electric machines come with non marking tyres as standard. We also stock wheel covers that can easily be fitted to each machine.	
SOLUTION	Non marking tyre machine and/or wheel protection covers	
PROBLEM: NO MESS	Valuable floors, antique floors, precious stone tiles and laboratories	

CONTENTS



MARK ONE PROVIDES



TOOL & EQUIPMENT HIRE

Our extensive range of tool hire equipment includes specialist divisions in Confined Space equipment and Floor Preparation tools and equipment. Our staff are always on hand to answer any questions you may have to help you choose the right equipment for the job.



POWERED ACCESS HIRE

A separate powered access division with a range of cherry pickers, scissor lifts and internal access equipment delivered by a fleet of vehicles and FORS trained drivers to sites in Essex, London, Kent, Suffolk, Cambidgeshire, Hertfordshire, East Anglia, Greater London and often further afield.



TRAINING

We provide training services including IPAF, PASMA, confined space and first aid. A full list of training courses we provide can be found at www.mark1training.co.uk. On-site training can be arranged or you can visit our training centres in Southend and Chelmsford.



INSPECTIONS

To keep your equipment safe to use Mark One can provide LOLER inspections and Thorough Examintions in Southend, Essex, London and the surrounding counties at a date and time to suit your requirements, including weekends.

SCISSOR LIFTS

For straight up and down working, scissor lifts provide the ideal solution, transporting users and their tools to an elevated work place quickly and safely.

SAFETY FEATURES

- Tilt sensor with audible alarm
- Emergency stop switch at both platform and ground controls
- Heavy duty steel guardrails
- Pothole guards
- Roll out platform extension
- Built-in lanyard attachment
- Solid steel deck with slip-resistant surface
- Emergency manual platform lowering valve

WHEN HIRING YOU WILL BE PROVIDED WITH:

- A certificate of Thorough Examination (LOLER)
- Operators Instruction Manual

HANDOVER FAMILIARISATION TO ENSURE YOU UNDERSTAND

- Basic functions of the unit
- Pre-operational safety checks and maintenance
- Setting up procedure
- Site conditions and safety

* Please note that Handover Familiarisation is not a replacement for training in the correct use of powered access equipment

BENEFITS

- Excellent manoeuvrability
- Control box allowing user control from ground or cage
- Low noise levels
- Non-marking tyres
- Electric and diesel available

SJIH 4740

SCISSOR LIFTS

19' SCISSOR LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	7.8m
Platform Height:	5.8m
Height Stowed (Guardrails down):	1.75m
Height Stowed (Guardrails up):	2.10m
Length:	1.78m
Width:	0.81m
Ground Clearance:	6cm
Ground Clearance -	1.78cm
Porthole Protectors Delpoyed:	1.00111
Platform Length - Stowed:	1.63m
Platform Length - Extended (Deck out):	2.54m
Platform Width (Inside):	0.66m
Lift Capacity:	227kg
Extension Deck Lift Canacitu:	113kg
Turning Radius Outside:	1.68m
Turning Radius Inside:	zero
Power Source:	Battery
Tyres:	Solid Non-Marking Rubber
Gradeability:	25%
Weight:	1,312kg
Maximum Number of People:	2+ Tools

CODE: 350100

FOR INTERNAL AND EXTERNAL USE SOLID FLAT SURFACE ONLY

HIRE RATES

Code	1 day	+1 day		
350100	£99.00	£28.00	£155.00	£124.00*

* Price per week. 4 week rates must be agreed at time of hire.



26' NARROW SCISSOR LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	9.92m
Platform Height:	7.92m
Height Stowed (Guardrails down):	1.91m
Height Stowed (Guardrails up):	2.25m
Length:	2.32m
Width:	0.84m
Ground Clearance:	8.89cm
Ground Clearance -	1.9cm
Porthole Protectors Delpoyed:	1.3011
Platform Length - Stowed:	2.13m
Platform Length - Extended (Deck out):	3.04m
Platform Width (Inside):	0.71m
Lift Capacity:	227kg
Extension Deck Lift Canacitu:	113kg
Turning Radius Outside:	2.74m
Turning Radius Inside:	1.27m
Power Source:	Battery
Tyres:	Solid Non-Marking Rubber
Gradeability:	30%
Weight:	1,890kg
Maximum Number of People:	2+ Tools

CODE: 350125



HIRE RATES

Code	1 day	+1 day	1 week	4 weeks
350125	£125.00	£35.00	£195.00	£156.00*

* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

POWERED ACCESS SPECIALIST TEAM - 01702 561820

26' SCISSOR LIFT

TECHNIC	AL SPECIF	
		ICATION

	Metric
Working Height:	9.92m
Platform Height:	7.92m
Height Stowed (Guardrails down):	1.89m
Height Stowed (Guardrails up):	2.25m
Length:	2.31m
Width:	1.17m
Ground Clearance:	8.89cm
Ground Clearance -	1.91cm
Porthole Protectors Delpoyed:	1.51011
Platform Length - Stowed:	2.13m
Platform Length - Extended (Deck out):	3.35m
Platform Width (Inside):	1.07m
Lift Capacity:	454kg
Extension Deck Lift Capacity:	136kg
Turning Radius Outside:	2.37m
Turning Radius Inside:	1.21m
Power Source:	Battery
Tyres:	Solid Non-Marking Rubber
Gradeability:	30%
Weight:	2,170kg
Maximum Number of People:	3+ Tools

CODE: 350120

FOR INTERNAL AND EXTERNAL USE SOLID FLAT SURFACE ONLY

HIRE RATE

Code	1 day	+1 day	1 week	4 weeks
350120	£125.00	£35.00	£195.00	£156.00*

* Price per week. 4 week rates must be agreed at time of hire.



32' SCISSOR LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	11.75m
Platform Height:	9.75m
Height Stowed (Guardrails down):	1.99m
Height Stowed (Guardrails up):	2.35m
Length:	2.31m
Width:	1.17m
Ground Clearance:	8.89cm
Ground Clearance -	1.9cm
Porthole Protectors Delpoyed:	1.JCIII
Platform Length - Stowed:	2.13m
Platform Length - Extended (Deck out):	3.35m
Platform Width (Inside):	1.07m
Lift Capacity:	317kg
Extension Deck Lift Capacity:	113kg
Turning Radius Outside:	2.37m
Turning Radius Inside:	1.21m
Power Source:	Battery
Tyres: Solid Non-	Marking Rubber
Gradeability:	25%
Weight:	2,300kg
Maximum Number of People:	2+ Tools

CODE: 350130



HIRE RATE

350130	£140.00	£52.50	£245.00	£192.00*
Code	1 day	+1 day	1 week	4 weeks

* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

SCISSOR LIFTS

32' ELECTRIC NARROW SCISSOR LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	11.75m
Platform Height:	9.75m
Height Stowed (Guardrails down):	2.03m
Height Stowed (Guardrails up):	2.43m
Length:	2.43m
Width:	0.81m
Ground Clearance:	8.9cm
Ground Clearance -	2.2cm
Porthole Protectors Delpoyed:	۲.۷۵۱۱
Platform Length - Stowed:	2.43m
Platform Length - Extended (Deck out):	3.33m
Platform Width (Inside):	0.81m
Lift Capacity:	227kg
Deck Extension:	Ո 9m
Turning Radius Outside:	2 13m
Turning Radius Inside:	zero
Power Source:	Battery
Tyres:	Solid Non- Marking Rubber
Gradeability:	25%
Weight:	2,352kg
Maximum Number of People:	2+ Tools

CODE: 350132



couc	I day	+1 day	IWCCK	- WCCK3
HIRE RATES	1 day	+1 day	1 week	/ weeks

* Price per week. 4 week rates must be agreed at time of hire.



40' SCISSOR LIFT

TECHNICAL SPECIFICATION

Working Height:13.8mPlatform Height:11.8mHeight Stowed (Guardrails down):2.21mHeight Stowed (Guardrails up):2.48mLength:2.4mWidth:1.19mGround Clearance:8.1cmGround Clearance -1.9cmPorthole Protectors Delpoyed:1.9cmPlatform Length - Extended:3.35mPlatform Length - Extended:3.35mPlatform Width (Inside):1.06mLift Capacity:350kgTurning Radius Outside:2.58mTurning Radius Inside:0.54mPower Source:BatteryTyres:Solid Non-Marking RubberGradeability:25%Weight:2,985kgMaximum Number of People:3+ Tools		Metric
Height Stowed (Guardrails down):2.21mHeight Stowed (Guardrails up):2.48mLength:2.4mWidth:1.19mGround Clearance:8.1cmGround Clearance -1.9cmPorthole Protectors Delpoyed:1.9cmPlatform Length - Stowed:2.19mPlatform Length - Stowed:3.35mPlatform Width (Inside):1.06mLift Capacity:350kgTurning Radius Outside:2.58mTurning Radius Inside:0.54mPower Source:BatteryTyres:Solid Non-Marking RubberGradeability:2.5%Weight:2.985kg	Working Height:	13.8m
Height Stowed (Guardrails up):2.48mLength:2.4mWidth:1.19mGround Clearance:8.1cmGround Clearance -1.9cmPorthole Protectors Delpoyed:2.19mPlatform Length - Stowed:2.19mPlatform Length - Extended:3.35mPlatform Width (Inside):1.06mLift Capacity:350kgTurning Radius Outside:2.58mTurning Radius Inside:0.54mPower Source:BatteryTyres:Solid Non-Marking RubberGradeability:25%Weight:2,985kg	Platform Height:	11.8m
Length:2.4mWidth:1.19mGround Clearance:8.1cmGround Clearance -1.9cmPorthole Protectors Delpoyed:2.19mPlatform Length - Stowed:2.19mPlatform Length - Extended:3.35mPlatform Width (Inside):1.06mLift Capacity:350kgTurning Radius Outside:2.58mTurning Radius Inside:0.54mPower Source:BatteryTyres:Solid Non-Marking RubberGradeability:25%Weight:2,985kg	Height Stowed (Guardrails down):	2.21m
Width:1.19mGround Clearance:8.1cmGround Clearance -1.9cmPorthole Protectors Delpoyed:2.19mPlatform Length - Stowed:2.19mPlatform Length - Extended:3.35mPlatform Width (Inside):1.06mLift Capacity:350kgTurning Radius Outside:2.58mTurning Radius Inside:0.54mPower Source:BatteryTyres:Solid Non-Marking RubberGradeability:25%Weight:2,985kg	Height Stowed (Guardrails up):	2.48m
Ground Clearance: 8.1cm Ground Clearance - 1.9cm Porthole Protectors Delpoyed: 2.19m Platform Length - Stowed: 2.19m Platform Length - Extended: 3.35m Platform Width (Inside): 1.06m Lift Capacity: 350kg Turning Radius Outside: 2.58m Turning Radius Inside: 0.54m Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Length:	2.4m
Ground Clearance - 1.9cm Porthole Protectors Delpoyed: 2.19m Platform Length - Stowed: 2.19m Platform Length - Extended: 3.35m Platform Width [Inside]: 1.06m Lift Capacity: 350kg Turning Radius Outside: 2.58m Turning Radius Inside: 0.54m Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Width:	1.19m
Porthole Protectors Delpoyed: 1.9cm Platform Length - Stowed: 2.19m Platform Length - Extended: 3.35m Platform Width (Inside): 1.06m Lift Capacity: 350kg Turning Radius Outside: 2.58m Turning Radius Inside: 0.54m Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Ground Clearance:	8.1cm
Porthole Protectors Delpoyed: Platform Length - Stowed: 2.19m Platform Length - Extended: 3.35m Platform Width (Inside): 1.06m Lift Capacity: 350kg Turning Radius Outside: 2.58m Turning Radius Inside: 0.54m Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Ground Clearance -	1 9cm
Platform Length - Extended: 3.35m Platform Width [Inside]: 1.06m Lift Capacity: 350kg Turning Radius Outside: 2.58m Turning Radius Inside: 0.54m Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Porthole Protectors Delpoyed:	1.3011
Platform Width [Inside]: 1.06m Lift Capacity: 350kg Turning Radius Outside: 2.58m Turning Radius Inside: 0.54m Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Platform Length - Stowed:	2.19m
Lift Capacity: 350kg Turning Radius Outside: 2.58m Turning Radius Inside: 0.54m Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Platform Length - Extended:	3.35m
Turning Radius Outside: 2.58 m Turning Radius Inside: 0.54 m Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Platform Width (Inside):	1.06m
Turning Radius Outside: 2.58m Turning Radius Inside: 0.54m Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Lift Capacity:	350kg
Power Source: Battery Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Turning Radius Outside:	2.58m
Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Turning Radius Inside:	0.54m
Tyres: Solid Non-Marking Rubber Gradeability: 25% Weight: 2,985kg	Power Source:	Battery
Gradeability: 25% Weight: 2,985kg	Tures	Solid Non-Marking Rubber
	Gradeabilitu:	25%
Maximum Number of People: 3+ Tools	Weight:	2,985kg
	Maximum Number of People:	3+ Tools

CODE: 350135



* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

POWERED ACCESS SPECIALIST TEAM - 01702 561820

TECHNICAL SPECIFICATION

	Metric
Working Height:	9.92m
Platform Height:	7.92m
Height Stowed (Guardrails down):	1.61m
Height Stowed (Guardrails up):	2.37m
Length:	3.35m
Width:	1.76m
Ground Clearance:	0.2m
Platform Length - Stowed:	2.44m
Platform Length - Extended (Deck out):	3.96m
Platform Width (Inside):	1.42m
Lift Capacity:	567kg
Deck Extension	1.52m
Turning Radius Outside:	3.96m
Turning Radius Inside:	1.52m
Power Source:	Diesel
Tyres:	Rough Terrain Rubber
Gradeability:	50%
Weight:	3,305kg
Maximum Number of People:	4+ Tools

CODE: 350180



Code	1 day	+1 day	1 week	4 weeks
350180	£145.00	£55.00	£255.00	£204.00*

* Price per week. 4 week rates must be agreed at time of hire.



27' ROUGH TERRAIN 4X4 NARROW SCISSOR LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	10.1m
Platform Height:	8.1m
Height Stowed (Guardrails down):	2.13m
Height Stowed (Guardrails up):	2.35m
Length:	3.3m
Width:	1.45m
Ground Clearance:	260mm
Platform Length - Stowed:	2.73m
Platform Length - Extended (Deck out):	3.93m
Platform Width (Inside):	1.4m
Lift Capacity:	300kg
Deck Extension:	1.2m
Turning Radius Outside:	4.75m
Turning Radius Inside:	2.5m
Power Source:	Diesel
Tyres:	Rough Terrain Rubber
Gradeability:	35%
Weight:	2,750kg
Maximum Number of People:	2+ Tools

CODE: 350188



HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350188	£175.00	£60.00	£295.00	£236.00*

* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

SCISSOR LIFTS

32' ROUGH TERRAIN 4X4 DIESEL SCISSOR LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	11.75m
Platform Height:	9.75m
Height Stowed (Guardrails down):	1.75m
Height Stowed (Guardrails up):	2.51m
Length:	3.35m
Width:	1.76m
Ground Clearance:	0.2m
Platform Length - Stowed:	2.44m
Platform Length - Extended (Deck out):	3.96m
Platform Width (Inside):	1.42m
Lift Capacity:	454kg
Deck Extension:	1.52m
Turning Radius Outside:	3.96m
Turning Radius Inside:	1.52m
Power Source:	Diesel
Tyres:	Rough Terrain Rubber
Gradeability:	40%
Weight:	3,781kg
Maximum Number of People:	4+ Tools

CODE: 350185

	MACHIN	E IS 4X4	ŀ	
SELF	LEVELLI	NG JACK	(LEGS	
HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350185	£175.00	£60.00	£295.00	£236.00*

* Price per week. 4 week rates must be agreed at time of hire.

50' ROUGH TERRAIN 4X4 DIESEL SCISSOR LIFT

TECHNICAL SPECIFICATION	
	Metric
Working Height:	17.24m
Platform Height:	15 24m
Height Stowed (Guardrails down):	2 29m
Height Stowed (Guardrails up):	3.17m
Length:	1 17m
Width:	2 34m
Ground Clearance:	20cm
Platform Length - Stowed	4.27m
Platform Length - Extended (Deck out):	7.31m
Platform Width (Inside):	1.88m
Lift Capacity:	680kg
Deck Extension (Each End):	1.52m
Turning Radius Outside:	7.65m
Turning Radius Inside:	5.33m
Power Source:	Diesel
Tyres:	Rough Terrain Rubber
Gradeability:	30%
Weight:	6,895kg
Maximum Number of People:	5+ Tools

32' ROUGH TERRAIN 4X4 ELECTRIC SCISSOR LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	11.75m
Platform Height:	9.75m
Height Stowed (Guardrails down):	1.75m
Height Stowed (Guardrails up):	2.51m
Length:	3.35m
Width:	1.76m
Ground Clearance:	0.2m
Platform Length - Stowed:	2.44m
Platform Length - Extended (Deck out):	3.96m
Platform Width (Inside):	1.42m
Lift Capacity:	454kg
Deck Extension:	1.52m
Turning Radius Outside:	3.96m
Turning Radius Inside:	1.52m
Power Source:	Battery
Tyres:	Non- Marking Rough Terrain
Gradeability:	45%
Weight:	3,844kg
Maximum Number of People:	4+ Tools

CODE: 350186



* Price per week. 4 week rates must be agreed at time of hire.



LOW LEVEL

If you are restricted for height indoors, low level access is ideal to use. They have non-marking tyres, are lightweight and can fit through most doorways.

SAFETY FEATURES

- Tilt sensor with audible alarm
- Auto brake system
- Emergency lowering system
- Pothole protection
- Tie down attachment points
- Load sensor
- Slip-resistant deck
- Forklift pockets
- Emergency stop buttons

WHEN HIRING YOU WILL BE PROVIDED WITH:

- A certificate of Thorough Examination (LOLER)
- Operators Instruction Manual

HANDOVER FAMILIARISATION TO ENSURE YOU UNDERSTAND

- Basic functions of the unit
- Pre-operational safety checks and maintenance
- Setting up procedure
- Site conditions and safety

* Please note that Handover Familiarisation is not a replacement for training in the correct use of powered access equipment

BENEFITS

- Excellent manoeuvrability
- Lightweight
- Low noise levels
- Non-marking tyres
- Electric
- Narrow to fit through doorways



LOW LEVEL

RUNABOUT GR15/GR20

TECHNICAL SPECIFICATION

	Metric
Working Height: GR15	6.35m
Working Height: GR20	785m
Platform Height: GR15	4 52m
Platform Height: GR20	6 02m
Platform Dimension (L x W):	0.94 x 0.75m
Platform Dimension (L x W)	1.45 x 0.75m
(with Extension):	
Height Stowed: GR15	1.57m
Height Stowed: GR20	1.98m
Length Stowed:	1.35m
Width: GR15	75cm
Width: GR20	80cm
Lift Capacity: GR15	227kg
Lift Capacity: GR20	159kg
Ground Clearance:	6cm
Turning Radius Outside:	1.42m
Turning Radius Inside:	zero
Power Source:	Batteru
Tyres:	Solid Non-Marking Rubber
Gradeability:	30%
Weight: GR15	994ka
Weight: GR20	1,112kg
Maximum Number of People:	1+ Tools

CODE: 350165 (GR15) / 350155 (GR20)

FOR INTERNAL USE ONLY SOLID FLAT SURFACE ONLY

HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350165 (GR15)	£85.00	£45.00	£175.00	£140.00*
350155 (GR20)	£90.00	£45.00	£180.00	£144.00*

R

* Price per week. 4 week rates must be agreed at time of hire.





TECHNICAL SPECIFICATION

	Metric
Working Height:	10m
Platform Height:	8m
Height Stowed:	1.99m
Working Outreach:	3m
Length:	2.7m
Width:	1m
Wheelbase:	1.2m
Ground Clearance:	10cm
Platform Length - Stowed (Inside):	0.78m
Platform Width (Inside):	0.99m
Lift Capacity:	200kg
Extension Deck Lift Capacity:	113kg
Turning Radius Outside:	1.88m
Power Source:	Battery
Tyres:	Solid Non-Marking Rubber
Gradeability:	25%
Weight:	2,735kg
Maximum Number of People:	2+ Tools

CODE: 350175

FOR INTERNAL AND EXTERNAL USE SOLID FLAT SURFACE ONLY

HIRE RAIES				
Code	1 day	+1 day	1 week	4 weeks
350175	£140.00	£70.00	£280.00	£224.00*

* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

POWERED ACCESS SPECIALIST TEAM - 01702 561820

POWER TOWER NANO SP

TECHNICAL SPECIFICATION

	Metric
Working Height:	4.5m
Platform Height:	2.5m
Height Stowed (Guardrails):	1.59m
Length:	1.2m
Width:	0.75m
Ground Clearance:	50mm
Platform Length - Stowed (Inside):	1.0m
Platform Length - Extended (Inside):	1.5m
Platform Width (Inside):	0.73m
Lift Capacity:	200kg
Deck Extension:	0.5m
Turning Radius Outside:	3.96m
Turning Radius Inside:	1.52m
Power Source:	Battery
Weight:	478kg
Maximum Number of People:	1+ Tools

CODE: 350154

FOR INTERNAL USE ONLY SOLID FLAT SURFACE ONLY							
	_ /						
HIRE RATES							
Code	1 day	+1 day	1 week	4 weeks			
350154	£80.00	£20.00	£120.00	£96.00*			

* Price per week. 4 week rates must be agreed at time of hire.



POWER TOWER PUSH AROUND VERTICAL

TECHNICAL SPECIFICATION

	Metric
Working Height:	5.10m
Platform Height:	3.10m
Height Stowed (Guardrails):	1.85m
Length:	1.6m
Width:	0.78m
Ground Clearance:	0.2m
Platform Length - Stowed (Inside):	1.52m
Platform Width (Inside):	0.78m
Lift Capacity:	250kg
Power Source:	Battery
Tyres:	Solid Non- Marking Rubber
Weight:	342kg
Maximum Number of People:	1+ Tools

CODE: 350153



* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

LOW LEVEL

AWP-25S GENIE PERSONNEL LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	9.57m
Platform Height:	7.57m
Height Stowed:	1.98m
Length:	1.31m
Width:	0.74m
Outrigger footprint:	1.75 x 1.55m
Platform Length:	0.69m
Platform Width:	0.66m
Platform Height:	1.14m
Power Source:	Battery
Weight:	371kg
Lift Capacity:	159kg
Maximum Number of People:	1+ Tools

CODE: 350150

			<u> </u>							/
	F	OR II	NTE	RNA	L U	SE	ONL	Y		
ADJ	IUST/	ABLI	E LE	VEL	LIN	IG C	UTF	RIGO	SER:	S
 / /		_		_		_		-		-

HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350150	£85.00	£45.00	£175.00	£140.00*

* Price per week. 4 week rates must be agreed at time of hire.

AWP-30S GENIE PERSONNEL LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	11m
Platform Height:	9m
Height Stowed:	1.98m
Length:	1.35m
Width:	0.74m
Outrigger footprint:	1.93 x 1.73m
Platform Length:	0.69m
Platform Width:	0.66m
Platform Height:	1.14m
Power Source:	Battery
Weight:	393kg
Lift Capacity:	159kg
Maximum Number of People:	1+ Tools

CODE: 350151



350151	£95.00	£50.00	£195.00	£156.00*
Code	1 day	+1 day	1 week	4 weeks
11112101120				

* Price per week. 4 week rates must be agreed at time of hire.

AWP-40S GENIE PERSONNEL LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	14.29m
Platform Height:	12.29m
Height Stowed:	2.78m
Length:	1.42m
Width:	0.74m
Outrigger footprint:	2.26 x 2.06m
Platform Length:	0.69m
Platform Width:	0.66m
Platform Height:	1.14m
Power Source:	Battery
Weight:	472kg
Lift Capacity:	136kg
Maximum Number of People:	1+ Tools

CODE: 350152

		AL USE (
ADJUSTABL	E LEVE	LLING O	UTRIGGI	ERS
HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350152	£165.00	£85.00	£315.00	£250.00*

* Price per week. 4 week rates must be agreed at time of hire.



SKYJACK SJ16

TECHNICAL SPECIFICATION

	Metric
Working Height:	6.75m
Platform Height:	4.75m
Height Stowed (Guardrails):	1.79m
Length:	1.37m
Width:	0.77m
Ground Clearance:	5.33cm
Ground Clearance -	1.60cm
Porthole Protectors Delpoyed:	1.000111
Platform Length - Stowed (Inside):	0.85m
Platform Width (Inside):	0.69m
Lift Capacity:	227kg
Turning Radius Outside:	1.40m
Turning Radius Inside:	zero
Power Source:	Battery
Tyres:	Solid Non-Marking Rubber
Gradeability:	30%
Weight:	971kg
Maximum Number of People:	1+ Tools

CODE: 350168



Code	1 day	+1 day	1 week	4 weeks
350168	£85.00	£45.00	£175.00	£140.00*

* Price per week. 4 week rates must be agreed at time of hire.



SNORKEL S3010P PUSH AROUND VERTICAL

TECHNICAL SPECIFICATION

	Metric
Working Height:	5m
Platform Height:	3m
Height Stowed (Guardrails):	1.8m
Length:	1.2m
Width:	0.75m
Platform Length (Outside):	1.1m
Platform Width (Outside):	0.52m
Lift Capacity:	240kg
Power Source:	Battery
Tyres:	Solid Non-Marking Casters
Weight:	370kg
Maximum Number of People:	1+ Tools

CODE: 350153



HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350153	£69.00	£15.00	£99.00	£79.00*

* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

BOOM LIFTS

If your planned work requires any degree of outreach then Articulated Boom Lifts can perform an incredible range of tasks.

SAFETY FEATURES

- Audible platform overload alarm
- Emergency stop switch at both platform and ground controls
- Heavy-duty guardrails
- Built in lanyard attachment point
- Solid deck with slip-resistant surface
- Emergency descent lowering valve

BENEFITS

- Outreach capabilities to overcome obstacles
- Fully proportional hydraulic controls
- Telescopic upper boom
- Bi-Energy petrol\diesel and battery
- Various machines have hydraulic legs for uneven ground

WHEN HIRING YOU WILL BE PROVIDED WITH:

- A certificate of Thorough Examination (LOLER)
- Operators Instruction Manual

HANDOVER FAMILIARISATION TO ENSURE YOU UNDERSTAND

- Basic functions of the unit
- Pre-operational safety checks and maintenance
- Setting up procedure
- Site conditions and safety


* Please note that Handover Familiarisation is not a replacement for training in the correct use of powered access equipment

TRACKED NIFTY TD120T NARROW

TECHNICAL SPECIFICATION	
	Metric
Working Height:	12.2m
Platform Floor Height:	10.2m
Height Stowed:	1.9m
Working Outreach	6.1m
Length:	3.95m
Width (with tracks in):	0.75m
Width (with stabilisers deployed):	3m
Platform Width:	0.75m
Lift Capacity:	120kg
Power Source:	Diesel/Mains 110v
Gradability:	60%
Weight:	1,850kg
Maximum Number of People:	1+ Tools

CODE: 350086				
FOR INTE ADJUS	RNAL AN TABLE L		-	SE
HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350086	£220.00	£115.00	£450.00	£360.00*

* Price per week. 4 week rates must be agreed at time of hire.





SELF DRIVE NIFTY SD120TBE 4X4


TECHNICAL SPECIFICATION

	Metric
Working Height:	12.65m
Platform Height:	10.65m
Height Stowed:	1 95m
Working Outreach:	6.1m
Length:	3.9m
Width:	1.56m
Width (with stabilisers deployed):	3.2m
Platform Length:	0.65mm
Platform Width:	1.1m
Lift Capacity:	200kg
Turning Radius Outside:	3 9m
Power Source:	Diesel/Battery
Gradeability:	45%
Weight:	2,260kg
Maximum Number of People:	2+ Tools

CODE: 350080



* Price per week. 4 week rates must be agreed at time of hire.





WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

www.mark1access.co.uk

BOOM LIFTS

SELF DRIVE NIFTY SD170TBE 4X4


TECHNICAL SPECIFICATION

	Metric
Working Height:	17.1 m
Platform Height:	15.1m
Height Stowed:	2.1m
Working Outreach:	8.7m
Length:	5.6m
Width:	1.6m
Width (with stabilisers deployed):	4.4m
Platform Length:	0.65mm
Platform Width:	1.1m
Lift Capacity:	200kg
Turning Radius Outside:	5.2m
Power Source:	Diesel/Battery
Gradeability:	30%
Weight:	2,750kg
Maximum Number of People:	2+ Tools

CODE: 350082

FOR INTEL		ND EXTE EVELLIN	-	-
HIRE RATES	1 dau	. 1 day	1.wook	4 weeks
350082	1 day £315.00	+1 day £100.00	1 week £515.00	4 weeks £412.00*

* Price per week. 4 week rates must be agreed at time of hire.






SELF PROPELLED HR12NBE

TECHNICAL SPECIFICATION

	Metric
Working Height:	12.2m
Platform Floor Height:	10.2m
Height Stowed:	1.9m
Working Outreach	6.1m
Length:	4.10m
Width	1.5m
Platform Size (L x W):	0.65 x 1.1m
Lift Capacity:	200kg
Turning Radius (Outside):	4.2m
Power Source:	Bi-Energy (Diesel Engine & Battery)
Gradability:	25%
Weight:	3,170kg
Maximum Number of People:	2+ Tools

CODE: 350075					
FOR INTERNAL AND EXTERNAL USE SOLID FLAT SURFACE ONLY					
HIRE RATES			•		
Code	1 day	+1 day	1 week	4 weeks	
350075	£185.00	£70.00	£325.00	£260.00*	

* Price per week. 4 week rates must be agreed at time of hire.






WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

SELF PROPELLED HR12 BI-ENERGY 4X4

TECHNICAL SPECIFICAT	ION
	Metric
Working Height:	12.2m
Platform Floor Height:	10.2m
Height Stowed:	1.95m
Working Outreach	6.1m
Length:	4.10m
Width	1.6m
Platform Size (L x W):	0.65 x 1.1m
Lift Capacity:	200kg
Turning Radius (Outside):	4.3m
Power Source:	Bi-Energy (Diesel Engine & Battery)
Gradability:	30%
Weight:	3,470kg
Maximum Number of People:	2+ Tools

CODE: 350076				
FOR INTERNAL AND EXTERNAL USE FLAT LEVEL SURFACE ONLY				
HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350076	£195.00	£90.00	£375.00	£300.00*

* Price per week. 4 week rates must be agreed at time of hire.





SKYJACK SJ30


TECHNICAL SPECIFICATION

	Metric
Working Height:	11m
Platform Height:	9m
Height Stowed:	2.01m
Working Outreach:	6.25m
Length Stowed:	5.44m
Platform Size (L x W):	0.76 x 1.17 m
Lift Capacity:	227kg
Turning Radius Outside:	3.23m
Power Source:	Battery
Gradeability:	35%
Weight:	5,750kg
Maximum Number of People:	2+ Tools

CODE: 350178



* Price per week. 4 week rates must be agreed at time of hire.





BOOM LIFTS

SELF PROPELLED HR17 NARROW HYBRID


TECHNICAL SPECIFICATION

	Metric
Working Height:	17m
Platform Floor Height:	15m
Height Stowed:	1.99m
Working Outreach	9.7m
Length:	6.4m
Length Stowed:	4.93m
Width:	1.5m
Turning Radius Outside:	3.5m
Platform Size (L x W):	0.8 x 1.5m
Lift Capacity:	225kg
Power Source:	Hybrid (Diesel Engine & Battery)
Gradability:	25%
Weight:	7,650kg
Maximum Number of People:	2+ tools

CODE: 350095

FOR INTE SOLIE		ND EXTE URFACE	_	SE
HIRE RATES				
Code 350095	1 day £275.00	+1 day £100.00	1 week £475.00	4 weeks £380.00*

* Price per week. 4 week rates must be agreed at time of hire.






SELF PROPELLED HR17 HYBRID 4X4

TECHNICAL SPECIFICATION

	Metric
Working Height:	17m
Platform Floor Height:	15m
Height Stowed:	2.15m
Working Outreach	9.3m
Length:	6.3m
Length Stowed:	5m
Width:	2m
Turning Radius Outside:	3.7m
Platform Size (L x W):	0.85 x 1.8m
Lift Capacity:	225kg
Power Source:	Hybrid (Diesel Engine & Battery)
Gradability:	40%
Weight:	4,750kg
Maximum Number of People:	2+ tools

CODE: 350090FOR INTERNAL AND EXTERNAL USE
FLAT LEVEL SURFACE ONLYHIRE RATESCode1 day+1 day1 week4 weeks350090£275.00£100.00£475.00£380.00*

* Price per week. 4 week rates must be agreed at time of hire.






SELF PROPELLED HR21 HYBRID 4X4

TECHNICAL SPECIFICATION

	Metric
Working Height:	21m
Platform Floor Height:	19m
Height Stowed:	2.15m
Working Outreach	12.8m
Length:	6.7m
Length Stowed:	5.3m
Width:	2.27m
Turning Radius Outside:	4m
Platform Size (L x W):	0.85 x 1.8m
Lift Capacity:	225kg
Power Source:	Hybrid (Diesel Engine & Battery)
Gradability:	40%
Weight:	6,500kg
Maximum Number of People:	2+ tools

CUDE: 350145						
FOR INTERNAL AND EXTERNAL USE FLAT LEVEL SURFACE ONLY						
HIRE RATES						
Code	1 day	+1 day	1 week	4 weeks		
350145	£395.00	£100.00	£595.00	£476.00*		

* Price per week. 4 week rates must be agreed at time of hire.





SELF PROPELLED HR28 HYBRID 4X4

TECHNICAL SPECIFICATION

	Metric
Working Height:	28m
Platform Floor Height:	26m
Height Stowed:	2.7m
Working Outreach	19m
Length:	9.28m
Length Stowed:	7.3m
Width:	2.49m
Turning Radius Outside:	5.9m
Platform Size (L x W):	0.9 x 2.4m
Lift Capacity:	280kg
Power Source:	Hybrid (Diesel Engine & Battery)
Gradability:	40%
Weight:	14,650kg
Maximum Number of People:	2+ tools

CODE: 350147 FOR INTERNAL AND EXTERNAL USE FLAT LEVEL SURFACE ONLY HIRE RATES Code 1 day

+1 day

£300.00

1 week


£1,195.00

4 weeks

£956.00*

£595.00 * Price per week. 4 week rates must be agreed at time of hire.

350147





WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

ROUGH TERRAIN

If your work takes you on uneven surfaces, our range of Rough Terrain machines will keep you stable and safe.

SAFETY FEATURES

- Rough Terrain tyres or tracks fitted to traverse uneven ground
- Emergency stop switch at both platform and ground controls
- Heavy-duty guardrails
- Built in lanyard attachment point
- Solid deck with slip-resistant surface
- Emergency descent lowering valve

BENEFITS

- Various machines have outreach capabilities to overcome obstacles
- Easily traverse gradients
- Can be used both indoors and outdoors
- Electric and Diesel machines both available
- Various machines have hydraulic legs for uneven ground

WHEN HIRING YOU WILL BE PROVIDED WITH:

- A certificate of Thorough Examination (LOLER)
- Operators Instruction Manual

HANDOVER FAMILIARISATION TO ENSURE YOU UNDERSTAND

- Basic functions of the unit
- Pre-operational safety checks and maintenance
- Setting up procedure
- Site conditions and safety

* Please note that Handover Familiarisation is not a replacement for training in the correct use of powered access equipment

TECHNICAL SPECIFICATION

	Metric
Working Height:	9.92m
Platform Height:	7.92m
Height Stowed (Guardrails down):	1.61m
Height Stowed (Guardrails up):	2.37m
Length:	3.35m
Width:	1.76m
Ground Clearance:	0.2m
Platform Length - Stowed:	2.44m
Platform Length - Extended (Deck out):	3.96m
Platform Width (Inside):	1.42m
Lift Capacity:	567kg
Deck Extension	1.52m
Turning Radius Outside:	3.96m
Turning Radius Inside:	1.52m
Power Source:	Diesel
Tyres:	Rough Terrain Rubber
Gradeability:	50%
Weight:	3,305kg
Maximum Number of People:	4+ Tools

CODE: 350180



Code 1 day +1 day 1 week 4 wee 350180 £145.00 £55.00 £255.00 £204.0					
350180 £145.00 £55.00 £255.00 £204.0	lode	1 day	+1 day	1 week	4 weeks
	50180	£145.00	£55.00	£255.00	£204.00*

* Price per week. 4 week rates must be agreed at time of hire.



27' ROUGH TERRAIN 4X4 NARROW SCISSOR LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	10.1m
Platform Height:	8.1m
Height Stowed (Guardrails down):	2.13m
Height Stowed (Guardrails up):	2.35m
Length:	3.3m
Width:	1.45m
Ground Clearance:	260mm
Platform Length - Stowed:	2.73m
Platform Length - Extended (Deck out):	3.93m
Platform Width (Inside):	1.4m
Lift Capacity:	300kg
Deck Extension:	1.2m
Turning Radius Outside:	4.75m
Turning Radius Inside:	2.5m
Power Source:	Diesel
Tyres:	Rough Terrain Rubber
Gradeability:	35%
Weight:	2,750kg
Maximum Number of People:	2+ Tools

CODE: 350188



HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350188	£175.00	£60.00	£295.00	£236.00*

* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

TECHNICAL SPECIFICATION

	Metric
Working Height:	11.75m
Platform Height:	9.75m
Height Stowed (Guardrails down):	1.75m
Height Stowed (Guardrails up):	2.51m
Length:	3.35m
Width:	1.76m
Ground Clearance:	0.2m
Platform Length - Stowed:	2.44m
Platform Length - Extended (Deck out)	3.96m
Platform Width (Inside):	1.42m
Lift Capacity:	454kg
Deck Extension:	1.52m
Turning Radius Outside:	3.96m
Turning Radius Inside:	1.52m
Power Source:	Diesel
Tyres:	Rough Terrain Rubber
Gradeability:	40%
Weight:	3,781kg
Maximum Number of People:	4+ Tools

CODE: 350185

MACHINE IS 4X4
SELF LEVELLING JACK LEGS

HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350185	£175.00	£60.00	£295.00	£236.00*

* Price per week. 4 week rates must be agreed at time of hire.



32' ROUGH TERRAIN 4X4 ELECTRIC SCISSOR LIFT

TECHNICAL SPECIFICATION

	Metric
Working Height:	11.75m
Platform Height:	9.75m
Height Stowed (Guardrails down):	1.75m
Height Stowed (Guardrails up):	2.51m
Length:	3.35m
Width:	1.76m
Ground Clearance:	0.2m
Platform Length - Stowed:	2.44m
Platform Length - Extended (Deck out):	3.96m
Platform Width (Inside):	1.42m
Lift Capacity:	454kg
Deck Extension:	1.52m
Turning Radius Outside:	3.96m
Turning Radius Inside:	1.52m
Power Source:	Battery
Tyres:	Non- Marking Rough Terrain
Gradeability:	45%
Weight:	3,844kg
Maximum Number of People:	4+ Tools

CODE: 350186

MACHINE IS 4X4 SELF LEVELLING JACK LEGS HIRE RATES Code 1 day +1 day 1 week 4 weeks 350185 £175.00 £60.00 £295.00 £236.00*

* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

POWERED ACCESS SPECIALIST TEAM - 01702 561820

TECHNICAL SPECIFICATION

	Metric
Working Height:	17.24m
Platform Height:	15.24m
Height Stowed (Guardrails down):	2.29m
Height Stowed (Guardrails up):	3.17m
Length:	4.47m
Width:	2.34m
Ground Clearance:	20cm
Platform Length - Stowed:	4.27m
Platform Length - Extended (Deck out):	7.31m
Platform Width (Inside):	1.88m
Lift Capacity:	680kg
Deck Extension (Each End):	1.52m
Turning Radius Outside:	7.65m
Turning Radius Inside:	5.33m
Power Source:	Diesel
Tyres:	Rough Terrain Rubber
Gradeability:	30%
Weight:	6,895kg
Maximum Number of People:	5+ Tools

CODE: 350190



* Price per week. 4 week rates must be agreed at time of hire.



SELF DRIVE NIFTY SD120TBE 4X4

TECHNICAL SPECIFICATION


	Metric
Working Height:	12.65m
Platform Height:	10.65m
Height Stowed:	1.95m
Working Outreach:	6.1m
Length:	3.9m
Width:	1.56m
Width (with stabilisers deployed):	3.2m
Platform Length:	0.65mm
Platform Width:	1.1m
Lift Capacity:	200kg
Turning Radius Outside:	3.9m
Power Source:	Diesel/Battery
Gradeability:	45%
Weight:	2,260kg
Maximum Number of People:	2+ Tools

CODE: 350080



Code 1 day +1 day 1 week 4 weeks 350080 £195.00 £90.00 £375.00 £300.00*

* Price per week. 4 week rates must be agreed at time of hire.





ROUGH TERRAIN

SELF DRIVE NIFTY SD170TBE 4X4


TECHNICAL SPECIFICATION

	Metric
Working Height:	17.1 m
Platform Height:	15.1m
Height Stowed:	2.1m
Working Outreach:	8.7m
Length:	5.6m
Width:	1.6m
Width (with stabilisers deployed):	4.4m
Platform Length:	0.65mm
Platform Width:	1.1m
Lift Capacity:	200kg
Turning Radius Outside:	5.2m
Power Source:	Diesel/Battery
Gradeability:	30%
Weight:	2,750kg
Maximum Number of People:	2+ Tools

CODE: 350082

FOR INTE ADJUS	RNAL AN TABLE L		-	SE
HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350082	£315.00	£100.00	£515.00	£412.00*

* Price per week. 4 week rates must be agreed at time of hire.






SELF PROPELLED HR12 BI-ENERGY 4X4

TECHNICAL SPECIFICATION

	Metric
Working Height:	12.2m
Platform Floor Height:	10.2m
Height Stowed:	1.95m
Working Outreach	6.1m
Length:	4.10m
Width	1.6m
Platform Size (L x W):	0.65 x 1.1m
Lift Capacity:	200kg
Turning Radius (Outside):	4.3m
Power Source:	Bi-Energy (Diesel Engine & Battery)
Gradability:	30%
Weight:	3,470kg
Maximum Number of People:	2+ Tools

CODE: 350076				
FOR INTERNAL AND EXTERNAL USE SOLID FLAT SURFACE ONLY				
HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350076	£195.00	£90.00	£375.00	£300.00*
* Price per week. 4 week rates must be agreed at time of hire.				
	0 5ft	10ft 1	5ft 20ft	25ft





WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.


TRACKED NIFTY TD120T NARROW

TECHNICAL SPECIFICATION	
	Metric
Working Height:	12.2m
Platform Floor Height:	10.2m
Height Stowed:	1.9m
Working Outreach	6.1m
Length:	3 95m
Width (with tracks in):	0.75m
Width (with stabilisers deployed):	3m
Platform Width:	0.75m
Lift Capacity:	120kg
Power Source:	Diesel/Mains 110v
Gradability:	60%
Weight:	1,850kg
Maximum Number of People:	1+ Tools

FOR INTERNAL AND EXTERNAL USE ADJUSTABLE LEVELLING LEGS				
HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350086	£220.00	£115.00	£450.00	£360.00*

CODE: 350086

* Price per week. 4 week rates must be agreed at time of hire.





SELF PROPELLED HR17 HYBRID 4X4


TECHNICAL SPECIFICATION

	Metric
Working Height:	17 m
Platform Floor Height:	15m
Height Stowed:	2.15m
Working Outreach	9.3m
Length:	6.3m
Length Stowed:	5m
Width:	2m
Turning Radius Outside:	3.7m
Platform Size (L x W):	0.85 x 1.8m
Lift Capacity:	225kg
Power Source:	Hybrid (Diesel Engine & Battery)
Gradability:	40%
Weight:	4,750kg
Maximum Number of People:	2+ tools

CODE: 350090



* Price per week. 4 week rates must be agreed at time of hire.





ROUGH TERRAIN

SELF PROPELLED HR21 HYBRID 4X4


TECHNICAL SPECIFICATION

	Metric
Working Height:	21m
Platform Floor Height:	19m
Height Stowed:	2.15m
Working Outreach	12.8m
Length:	6.7m
Length Stowed:	5.3m
Width:	2.27m
Turning Radius Outside:	4m
Platform Size (L x W):	0.85 x 1.8m
Lift Capacity:	225kg
Power Source:	Hybrid (Diesel Engine & Battery)
Gradability:	40%
Weight:	6,500kg
Maximum Number of People:	2+ tools

CODE: 350145

FOR INTERNAL AND EXTERNAL USE				
SOL	ID FLAT S	URFACE	ONLY	
HIRE RATES				
Code	1 day	+1 day	1 week	4 weeks
350145	£395.00	£100.00	£595.00	£476.00*

* Price per week. 4 week rates must be agreed at time of hire.






SELF PROPELLED HR28 HYBRID 4X4

TECHNICAL SPECIFICATION

Metric
28m
26m
2.7m
19m
9.28m
7.3m
2.49m
5.9m
0.9 x 2.4m
280kg
Hybrid (Diesel Engine & Battery)
40%
14,650kg
2+ tools

CODE: 350147					
FOR INTERNAL AND EXTERNAL USE SOLID FLAT SURFACE ONLY					
HIRE RATES					
Code	1 day	+1 day	1 week	4 weeks	
350147	£595.00	£300.00	£1,195.00	£956.00*	

* Price per week. 4 week rates must be agreed at time of hire.





WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

POWERED ACCESS SPECIALIST TEAM - 01702 561820

TOWABLE BOOM LIFTS

These machines are road towable and can be transported easily from site to site and set up quickly using built-in hydraulic outriggers.

SAFETY FEATURES

- Audible platform overload alarm
- Emergency stop switch at both platform and ground controls
- Heavy-duty guardrails
- Built in lanyard attachment point
- Solid deck with slip-resistant surface
- Emergency descent lowering valve

WHEN HIRING YOU WILL BE PROVIDED WITH:

- A certificate of Thorough Examination (LOLER)
- Operators Instruction
 Manual

HANDOVER FAMILIARISATION TO ENSURE YOU UNDERSTAND

- Basic functions of the unit
- Pre-operational safety checks and maintenance
- Setting up procedure
- Site conditions and safety

BENEFITS

- Outreach capabilities to overcome obstacles
- Fully proportional hydraulic controls
- Telescopic upper boom
- Bi-Energy petrol\diesel and battery
- Various machines have hydraulic legs for uneven ground

* Please note that Handover Familiarisation is not a replacement for training in the correct use of powered access equipment

TOWABLE BOOM LIFTS

TOWABLE BOOM LIFT NIFT 120TBE


TECHNICAL SPECIFICATION

	Metric
Working Height:	12.2m
Platform Floor Height:	10.2m
Height Stowed:	1.9m
Working Outreach	6.1m
Length:	4.5m
Travelling Width:	1.5m
Working Width (Legs Deployed):	3.55m
Axles Retracted Width:	1.1m
Slew	360°
Platform Size (L x W):	0.65 x 1.1m
Lift Capacity:	200kg
Power Source:	Bi-Energy (Petrol & Battery)
Wind Speed:	12.5m/s
Weight:	1,400kg
Maximum Number of People:	2+tools

CODE: 350060

	FOR INTERNAL AND EXTERNAL USE				
ADJUS	TABLE L	EVELLIN	IG LEGS		
HIRE RATES					
Code	1 day	+1 day	1 week	4 weeks	
350060	£120.00	£115.00	£350.00	£280.00*	

* Price per week. 4 week rates must be agreed at time of hire.






TOWABLE BOOM LIFT NIFTY 170TBE

TECHNICAL SPECIFICATION

Platform Floor Height: 15.1 m Height Stowed: 2.15 m Working Outreach 8.7 m Length: 6.2 m Travelling Width: 1.72 m Working Width (Legs Deployed): 4.4 m Slew 360° Platform Size (L x W): 0.65 x 1.1 m Lift Capacity: 200kg Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5 m/s Weight: 2,220kg		Metric
Height Stowed: 2.15m Working Outreach 8.7m Length: 6.2m Travelling Width: 1.72m Working Width (Legs Deployed): 4.4m Slew 360° Platform Size (L x W): 0.65 x 1.1m Lift Capacity: 200kg Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5m/s Weight: 2,220kg	Working Height:	17.1 m
Working Outreach 8.7m Length: 6.2m Travelling Width: 1.72m Working Width (Legs Deployed): 4.4m Slew 360° Platform Size (L x W): 0.65 x 1.1m Lift Capacity: 200kg Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5m/s Weight: 2,220kg	Platform Floor Height:	15.1m
Length: 6.2m Travelling Width: 1.72m Working Width (Legs Deployed): 4.4m Slew 360° Platform Size (L x W): 0.65 x 1.1m Lift Capacity: 200kg Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5m/s Weight: 2,220kg	Height Stowed:	2.15m
Travelling Width: 1.72m Travelling Width (Legs Deployed): 4.4m Slew 360° Platform Size (L x W): 0.65 x 1.1m Lift Capacity: 200kg Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5m/s Weight: 2,220kg	Working Outreach	8.7m
Working Width (Legs Deployed): 4.4m Slew 360° Platform Size (L x W): 0.65 x 1.1m Lift Capacity: 200kg Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5m/s Weight: 2,220kg	Length:	6.2m
Slew 360° Platform Size (L x W): 0.65 x 1.1 m Lift Capacity: 200kg Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5 m/s Weight: 2,220kg	Travelling Width:	1.72m
Platform Size (L x W): 0.65 x 1.1 m Lift Capacity: 200kg Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5m/s Weight: 2,220kg	Working Width (Legs Deployed):	4.4m
Lift Capacity: 200kg Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5m/s Weight: 2,220kg	Slew	360°
Power Source: Bi-Energy (Diesel & Battery) Wind Speed: 12.5m/s Weight: 2,220kg	Platform Size (L x W):	0.65 x 1.1m
Wind Speed: 12.5m/s Weight: 2,220kg	Lift Capacity:	200kg
Weight: 2,220kg	Power Source:	Bi-Energy (Diesel & Battery)
	Wind Speed:	12.5m/s
Maximum Number of People: 2+ tools	Weight:	2,220kg
	Maximum Number of People:	2+ tools

CODE: 350070							
FOR INTERNAL AND EXTERNAL USE ADJUSTABLE LEVELLING LEGS							
HIRE RATES	HIRE RATES						
Code	1 day	+1 day	1 week	4 weeks			
350070	£170.00	£127.50	£425.00	£340.00*			

* Price per week. 4 week rates must be agreed at time of hire.





WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

SOUTHEND - 01702 545454 • RAYLEIGH - 01268 745533 CHELMSFORD - 01245 399150

ALUMINIUM TOWERS

BoSS ALUMINIUM TOWERS 6' X 5' (1800mm X 1450mm)

HIRE RATES						
Code	Height	1 day	+1 day	1 week	4 weeks	
BOSS1.2	1.2m/3'11"	£35.00	£5.00	£45.00	£36.00*	
BOSS2.2	2.2m/7'2"	£43.00	£6.00	£55.00	£44.00*	
BOSS3.2	3.2m/10'8"	£52.00	£6.50	£65.00	£52.00*	
BOSS4.2	4.2m/13'10"	£68.00	£7.00	£82.00	£65.50*	
BOSS5.2	5.2m/17'1"	£75.00	£10.00	£95.00	£76.00*	
BOSS6.2	6.2m/20'4"	£89.00	£10.50	£110.00	£88.00*	
B0SS7.2	7.2m/23'7"	£105.00	£12.00	£129.00	£103.00*	
B0SS8.2	8.2m/26'11"	£120.00	£12.50	£145.00	£116.00*	
BOSS9.2	9.2m/30'3"	£130.00	£12.50	£155.00	£124.00*	
B0SS10.2	10.2m/33'6"	£135.00	£17.50	£170.00	£136.00*	
B0SS11.2	11.2m/36'9"	£140.00	£22.50	£185.00	£148.00*	
B0SS12.2	12.2m/40'	£150.00	£25.00	£200.00	£160.00*	

IMPORTANT - EXTERNAL TOWERS ABOVE 8.2M AND INTERNAL TOWERS ABOVE 11.2M MUST BE TIED IN TO A RIGID STRUCTURE IN ACCORDANCE WITH THE TOWER INSTRUCTION MANUAL

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.

BoSS ALUMINIUM NARROW TOWERS 6' X 3' (1800mm X 910mm)

HIRE RATE	S				
Code	Height	1 day	+1 day	1 week	4 weeks
NARROW1.2	1.2m/3'11"	£35.00	£5.00	£45.00	£36.00*
NARROW2.2	2.2m/7'2"	£43.00	£6.00	£55.00	£44.00*
NARROW3.2	3.2m/10'8"	£52.00	£6.50	£65.00	£52.00*
NARROW4.2	4.2m/13'10"	£68.00	£7.00	£82.00	£65.50*
NARROW5.2	5.2m/17'1"	£75.00	£10.00	£95.00	£76.00*
NARROW6.2	6.2m/20'4"	£89.00	£10.50	£110.00	£88.00*
NARROW7.2	7.2m/23'7"	£105.00	£12.00	£129.00	£103.00*
NARROW8.2	8.2m/26'11"	£120.00	£12.50	£145.00	£116.00*
NARROW9.2	9.2m/30'3"	£130.00	£12.50	£155.00	£124.00*
NARROW10.2	10.2m/33'6"	£135.00	£17.50	£170.00	£136.00*
NARROW11.2	11.2m/36'9"	£140.00	£22.50	£185.00	£148.00*
NARROW12.2	12.2m/40'	£150.00	£25.00	£200.00	£160.00*

IMPORTANT - EXTERNAL TOWERS ABOVE 8.2M AND INTERNAL TOWERS ABOVE 11.2M MUST BE TIED IN TO A RIGID STRUCTURE IN ACCORDANCE WITH THE TOWER INSTRUCTION MANUAL

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.



TOWERS AVAILABLE FOR HIRE AT OUR SOUTHEND, RAYLEIGH, BASILDON AND CHELMSFORD HIRE CENTRES. THEY ARE READY FOR COLLECTION OR DELIVERY. PLEASE CONTACT US FOR MORE INFORMATION

AGR BoSS ALUMINIUM TOWERS (ADVANCED GUARD RAIL) 6' X 5' (1800mm X 1450mm)

HIRE RATES						
Code	Height	1 day	+1 day	1 week	4 weeks	
BOSS2.2A	2.2m/7'2"	£43.00	£6.00	£55.00	£44.00*	
BOSS2.7A	2.7m/8'10"	£51.00	£6.50	£64.00	£51.00*	
BOSS3.7A	3.7m/12'1"	£59.00	£7.00	£73.00	£58.00*	
BOSS4.2A	4.2m/13'10"	£68.00	£7.00	£82.00	£65.50*	
BOSS4.7A	4.7m/15'5"	£75.00	£8.00	£91.00	£73.00*	
BOSS5.7A	5.7m/18'8"	£82.00	£9.00	£100.00	£80.00*	
BOSS6.2A	6.2m/20'4"	£89.00	£10.50	£110.00	£88.00*	
BOSS6.7A	6.7m/22'	£99.00	£11.00	£121.00	£116.00*	
BOSS7.7A	7.7m/25'3"	£109.00	£11.50	£132.00	£105.50*	
BOSS8.2A	8.2m/26'11"	£120.00	£12.50	£145.00	£116.00*	
BOSS8.7A	8.7m/28'6"	£125.00	£14.00	£153.00	£122.50*	
BOSS9.7A	9.7m/31'10"	£130.00	£15.50	£161.00	£129.00*	
BOSS10.2A	10.2m/33'5"	£135.00	£17.50	£170.00	£136.00*	
BOSS10.7A	10.7m/35'1"	£140.00	£20.00	£180.00	£144.00*	
BOSS11.7A	11.7m/38'4"	£145.00	£22.50	£190.00	£152.00*	
BOSS12.2A	12.2m/40'	£150.00	£25.00	£200.00	£160.00*	

IMPORTANT - EXTERNAL TOWERS ABOVE 8.2M AND INTERNAL TOWERS ABOVE 11.2M MUST BE TIED IN TO A RIGID STRUCTURE IN ACCORDANCE WITH THE Tower Instruction Manual

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.

AGR BoSS NARROW ALUMINIUM TOWERS (ADVANCED GUARD RAIL) 6' X 3' (1800mm X 910mm)

HIRE RATES					
Code	Height	1 day	+1 day	1 week	4 weeks
NARROW2.2A	2.2m/7'2"	£43.00	£6.00	£55.00	£44.00*
NARROW2.7A	2.7m/8'10"	£51.00	£6.50	£64.00	£51.00*
NARROW3.7A	3.7m/12'1"	£59.00	£7.00	£73.00	£58.00*
NARROW4.2A	4.2m/13'10"	£68.00	£7.00	£82.00	£65.50*
NARROW4.7A	4.7m/15'5"	£75.00	£8.00	£91.00	£73.00*
NARROW5.7A	5.7m/18'8"	£82.00	£9.00	£100.00	£80.00*
NARROW6.2A	6.2m/20'4"	£89.00	£10.50	£110.00	£88.00*
NARROW6.7A	6.7m/22'	£99.00	£11.00	£121.00	£116.00*
NARROW7.7A	7.7m/25'3"	£109.00	£11.50	£132.00	£105.50*
NARROW8.2A	8.2m/26'11"	£120.00	£12.50	£145.00	£116.00*
NARROW8.7A	8.7m/28'6"	£125.00	£14.00	£153.00	£122.50*
NARROW9.7A	9.7m/31'10"	£130.00	£15.50	£161.00	£129.00*
NARROW10.2A	10.2m/33'5"	£135.00	£17.50	£170.00	£136.00*
NARROW10.7A	10.7m/35'1"	£140.00	£20.00	£180.00	£144.00*
NARROW11.7A	11.7m/38'4"	£145.00	£22.50	£190.00	£152.00*
NARROW12.2A	12.2m/40'	£150.00	£25.00	£200.00	£160.00*

IMPORTANT - EXTERNAL TOWERS ABOVE 8.2M AND INTERNAL TOWERS ABOVE 11.2M MUST BE TIED IN TO A RIGID STRUCTURE IN ACCORDANCE WITH THE TOWER INSTRUCTION MANUAL

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.



GRP TOWERS

GRP ZONE 1 TOWERS 6' X 5' (1800mm X 1450mm)

HIRE RAT	TES		
Code	Height	1 wee	ek 4 weeks
GRPL1.2	1.2m/3'11"	£100.	.00 £80.00*
GRPL2.2	2.2m/7'2"	£110.	.00 £88.00*
GRPL3.2	3.2m/10'8"	£125.0	00 £100.00*
GRPL4.2	4.2m/13'10"	£135.	00 £108.00*
GRPL5.2	5.2m/17'1"	£145.	00 £116.00*
GRPL6.2	6.2m/20'4"	£170.	00 £136.00*
GRPL7.2	7.2m/23'7"	£195.	.00 £156.00*
GRPL8.2	8.2m/26'11"	£225.	.00 £180.00*
GRPL9.2	9.2m/30'3"	£240.	.00 £192.00*
GRPL10.2	10.2m/33'6"	£275.	.00 £220.00*
GRPL11.2	11.2m/36'9"	£300.	.00 £240.00*
GRPL12.2	12.2m/40'	£325.	.00 £260.00*

IMPORTANT - TOWERS ABOVE 8.2m ARE FOR INTERNAL USE ONLY

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.

GRP ZONE 1 NARROW TOWERS 6' X 3' (1800mm X 910mm)

HIRE RAT	ES		
Code	Height	1 week	4 weeks
GRPNL1.2	1.2m/3'11"	£100.00	£80.00*
GRPNL2.2	2.2m/7'2"	£110.00	£88.00*
GRPNL3.2	3.2m/10'8"	£125.00	£100.00*
GRPNL4.2	4.2m/13'10"	£135.00	£108.00*
GRPNL5.2	5.2m/17'1"	£145.00	£116.00*
GRPNL6.2	6.2m/20'4"	£170.00	£136.00*
GRPNL7.2	7.2m/23'7"	£195.00	£156.00*
GRPNL8.2	8.2m/26'11"	£225.00	£180.00*
GRPNL9.2	9.2m/30'3"	£240.00	£192.00*
GRPNL10.2	10.2m/33'6"	£275.00	£220.00*
GRPNL11.2	11.2m/36'9"	£300.00	£240.00*
GRPNL12.2	12.2m/40'	£325.00	£260.00*

IMPORTANT - TOWERS ABOVE 8.2m ARE FOR INTERNAL USE ONLY

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.



TOWERS AVAILABLE FOR HIRE AT OUR SOUTHEND, RAYLEIGH, BASILDON AND CHELMSFORD HIRE CENTRES. THEY ARE READY FOR COLLECTION OR DELIVERY. PLEASE CONTACT US FOR MORE INFORMATION

OTHER TOWERS

CANTILEVER TOWERS

HIRE RA	TES				
Code	Height	1 week	4 weeks		
CANT2.2	2.2m/7'2" (Complete)	£95.00	£76.00*		
CANT3.2	3.2m/10'8" (Complete)	£109.00	£87.00*		
CANT4.2	4.2m/13'10" (Complete)	£129.00	£103.00*		
CANT5.2	5.2m/17'1" (Complete)	£149.00	£119.00*		
CANT6.2	6.2m/20'4" (Complete)	£169.00	£135.00		
PLATFORM OVERREACH - 850mm					
* Prico por w	reek Aweek rates must be agr	and at time of hire			

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.

LIFT SHAFT TOWERS

HIRE RA	HIRE RATES					
Code	Height	1 week	4 weeks			
LIFT1.2	1.2m/4'1"	£50.00	£40.00*			
LIFT2.2	2.2m/7'2"	£60.00	£48.00*			
LIFT3.2	3.2m/10'8"	£70.00	£56.00*			
LIFT4.2	4.2m/13'10"	£85.00	£68.00*			
LIFT5.2	5.2m/17'1"	£100.00	£80.00*			
LIFT6.2	6.2m/20'4"	£115.00	£92.00*			
LIFT7.2	7.2m/23'7"	£130.00	£104.00*			
LIFT8.2	8.2m/26'11"	£145.00	£116.00*			
LIFT9.2	9.2m/30'3"	£160.00	£128.00*			
LIFT10.2	10.2m/33'6"	£175.00	£140.00*			

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.

STAIRWELL TOWERS

Robustly constructed, yet easy to erect, our range of Stairwell Towers allow users to work safely on commercial and domestic stairwells. Features include:

- A narrow base
- Adjustable legs
- Non-slip trapdoors

Access can be gained at either end of the stairwell unit via a walk through ladder frame.

HIRE RAT	HIRE RATES					
Code	Height	1 week	4 weeks			
STAIR2.8	2.8m	£57.00	£45.50*			
STAIR4.3	4.3m	£72.00	£57.50*			
STAIR5.8	5.8m	£95.00	£76.00*			
STAIR7.3	7.3m	£109.00	£87.00*			

* Price per week. 4 week rates must be agreed at time of hire.

Heights specified are platform height, not working height.





MINIMAX FOLDING PLATFROMS

For indoor and outdoor use, the Minimax is the ideal lightweight and modular platform and tower system.

Fitting through standard doorways and down corridors with snap click fittings and versatile stepped height platform adjustment, the Minimax is the ultimate one person system.

The base pack will give you a platform height of 0.6m with a working height of 2.6m. Extension packs can be added for extra reach if required.

HIRE RATES 4 weeks Code Height 1 day +1 day 1 week 010180 0.6m-2.60m £35.00 £9.50 £49.00 £39.00* 1m Extension Pack MINIMAXGR £13.00 £3.50 £20.00 £16.00* (1.7m Platform height) 2m Extension Pack MINIMAX2N £25.00 £7.50 £40.00 £32.00* (3.7m Platform height)

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.



1.5M PODIUM STEPS

This unit has been designed to provide a safer way of working at low levels and offers six platform heights of 250mm, 500mm, 750mm, 1m, 1.25m and 1.5m.

Its 600mm² platform area offers an ideal working space for one man and tools

With a telescopic handrail section the correct guardrail height is achieved at each of the six levels to ensure user safety.

The unit is fitted with anti-surf feet that prevent the user from moving the unit whilst standing on the platform.



HIRE RA	TES				
Code	Height	1 day	+1 day	1 week	4 weeks
010172	1m to 1.5m	£32.00	£8.50	£49.00	£39.00*

Heights specified are platform height, not working height.

Code	Height	1 day	+1 day	1 week	4 weeks
010172	1m to 1.5m	£32.00	£8.50	£49.00	£39.00*
	veek. 4 week rates	0			

ALUMINIUM STEPS

Our range of Step Ladders are certified for industrial use.

They are ideal for inspection work, access to work places and in accordance with the Working at Height regulations, light work of a short duration



HIRE RAT	TES				
Code	Height	1 day	+1 day	1 week	4 weeks
010126	2.35m - OPEN 1.27m	£12.00	£3.50	£19.00	£15.00*
010128	2.56m - OPEN 1.69m	£14.00	£4.00	£22.00	£17.50*
010130	2.98m - OPEN 2.10m	£16.00	£4.50	£25.00	£20.00*
010132	3.39m - OPEN 2.52m	£18.00	£5.50	£29.00	£23.00
010134	3.81m - OPEN 3.00m	£24.00	£9.00	£42.00	£33.50*

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.

SHERPA TELESCOPIC STEPS

Fully enclosed step ladders with variable platform heights from 1.77m to 2.23m.

Adjustable stabilisers are fitted for added stability.

Folds down for easy storage and transportation.



HIRE RAT	ES				
Code	Height	1 day	+1 day	1 week	4 weeks
010192	1.06m to 1.53m	£34.00	£14.00	£62.00	£49.50*

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.

GRP STEPS

Glassfibre Reinforced Plastic (GRP) Step Ladders are non-sparking and corrosion resistant, ideal for areas where there is a risk of fire or hazard from electrical or chemical contact.

In addition, they are suitable for use in'clean' environments such as food and hi-tech manufacturing.

They are suitable for inspection work, access to work places and in accordance with the Working at Height regulations, light work of a short duation.



HIRE RATES						
Code	Height	1 day	+1 day	1 week	4 weeks	
010151	2.04m - 0PEN 1.24m	£10.00	£2.50	£15.00	£12.00*	
010152	2.60m - 0PEN 1.65m	£14.00	£3.00	£20.00	£16.00*	
010154	3.13m - OPEN 2.20m	£17.00	£4.00	£25.00	£20.00*	
010156	3.7m - OPEN 3.03m	£19.00	£5.00	£29.00	£23.00*	

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.

PLATFORMS

STAGING BOARDS & HANDRAILS

HIRE RATES - STAGING BOARDS (450mm WIDE)						
Code	Length	1 day	+1 day	1 week	4 weeks	
020108	8' (2.3m)	£15.00	£2.00	£19.00	£15.00*	
020110	10' (3.04m)	£17.00	£2.00	£21.00	£16.75*	
020112	12' (3.65m)	£19.00	£3.00	£25.00	£20.00*	
020116	16' (4.87m)	£22.00	£3.50	£29.00	£23.00*	
020120	20' (6.00m)	£25.00	£7.00	£39.00	£31.00*	
020124	24' (7.31m)	£34.00	£15.00	£64.00	£51.00*	

* Price per week. 4 week rates must be agreed at time of hire.



HIRE RATES - HANDRAILS						
Code	Description	1 week	4 weeks			
HANDRAIL8	Handrail System for 8' Staging Board	£13.50	£10.75*			
HANDRAIL10	Handrail System for 10' Staging Board	£15.00	£12.00*			
HANDRAIL12	Handrail System for 12' Staging Board	£25.00	£20.00*			
HANDRAIL16	Handrail System for 16' Staging Board	£27.00	£21.50*			
HANDRAIL20	Handrail System for 20' Staging Board	£29.00	£23.00*			
HANDRAIL24	Handrail System for 24' Staging Board	£40.00	£32.00*			

* Price per week. 4 week rates must be agreed at time of hire. Prices listed only include one side of handrail



TRESTLES & SCAFFOLD BOARDS

HIRE RATES - PAINTER TRESTLES						
Code	Height	1 day	+1 day	1 week	4 weeks	
020170	6' Aluminium	£14.00	£4.00	£22.00	£17.50*	
020180	8' Aluminium	£16.00	£4.50	£25.00	£20.00*	
020190	10' Aluminium	£19.00	£5.50	£30.00	£24.00*	

* Price per week. 4 week rates must be agreed at time of hire.

HIRE RATES - STEEL TRESTLES (1000mm WIDE)					
Code	Description	1 week	4 weeks		
TRES1	1'7" extends to 2'5" (0.48m to 0.74m)	£3.75	£3.00*		
TRES2	2'6" extends to 4' (0.76m to 1.22m)	£3.75	£3.00*		
TRES3	3'6" extends to 5'9" (1.07m to 1.75m)	£3.75	£3.00*		
TRES4	4'6" extends to 7'2" (1.37m to 2.18m)	£3.75	£3.00*		

* Price per week. 4 week rates must be agreed at time of hire.

HIRE RATES - SCAFFOLD BOARDS (230mm WIDE)					
Code	Length	1 week	4 weeks		
SCAF8	8' (2.43m)	£2.75	£2.00*		
SCAF10	10' (3.04m)	£2.75	£2.00*		
SCAF13	13' (3.96m)	£2.75	£2.00*		

* Price per week. 4 week rates must be agreed at time of hire.



DESKSPAN HIGH-CLEARANCE TOWERS

This unit is specifically designed to be used over non-movable objects such as desks, hedges, coveyers etc.

This unit allows for 1.5m height clearance, with a working platform of 2.5m x 0.7m and safe working load of 250kg.

HIRE RATES						
Code	Clearance	1 day	+1 day	1 week	4 weeks	
010220	1.5m - HEIGHT	£45.00	£15.00	£75.00	£60.00*	

* Price per week. 4 week rates must be agreed at time of hire.



WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

LADDERS

CONSERVATORY LADDERS

Two part ladder specially designed for safe, easy access to conservatory roofs.

ldeal for cleaning or general maintenance work in awkward to get at areas.

The adjustable upper section allows for secure positioning on the pitch roof.



HIRE RA	ATES				
Code	Height	1 day	+1 day	1 week	4 weeks
010085	2.2m	£35.00	£10.00	£55.00	£44.00*

* Price per week. 4 week rates must be agreed at time of hire.

COMBI LADDERS

Three section aluminium ladder with the versatility to complete many different tasks.

Quickly and simply adapts to each mode be it step ladder, extension ladder, extending step ladder or stairway ladder.



HIRE RA	ITES				
Code	Height	1 day	+1 day	1 week	4 weeks
010070	7.02m ladder/ 3.75m steps	£25.00	£7.00	£39.00	£31.00*

* Price per week. 4 week rates must be agreed at time of hire.

GRP DOUBLE 4.2m TO 7.5M (14FT) LADDERS

Double extending 4.2m rope operated GRP lader giving a maximum safe working height of 7.8m.

Non-conductive to 30,000 volts, this ladder is ideal in areas where there is a risk of hazard from electrical or chemical contact.

14 slip-resistant rungs per section give the ladder a total weight of 23kg

HIRE RATES					
Code	Height	1 day	+1 day	1 week	4 weeks
010060	4.2m to 7.5m	£35.00	£10.00	£55.00	£44.00*

* Price per week. 4 week rates must be agreed at time of hire.

ALUMINIUM LADDERS

Our range of Aluminium Ladders are certified for industrial use and are suitable for inspection work, access to work places and in accordance with the Working at Height regulations, light work of a short duration.

> SAFETY FIRST Ladder stoppers and ladder stays are available on request



HIRE RATES					
Code	Height	1 day	+1 day	1 week	4 weeks
010010	4.41 - SWH	£17.00	£5.50	£28.00	£22.25*
010030	7.68m - SWH	£18.00	£6.00	£30.00	£24.00*
010035	6.04m - SWH	£21.00	£5.50	£32.00	£24.00*
010040	10.68m - SWH	£25.00	£7.50	£40.00	£32.00*

* Price per week. 4 week rates must be agreed at time of hire. SWH = Safe Working Height

ROOF LADDERS

An aluminium ladder designed principally to reduce the risk to the user.

It uses a ridge hook to hold the ladder in position with support bearers to distribute weight evenly preventing damage to the roof.

Two wheels fitted to the underside allow the ladder to be pushed up the roof without casuing any damage to the slates or tiles.

Designed for pitched roofs up to an angle of 55°, the ladder is easily positioned and totally secure to use.



HIRE RATES					
Code	Height	1 day	+1 day	1 week	4 weeks
010090	4.24m	£21.00	£4.00	£29.00	£23.00*
010110	3.9m - 6.6m	£24.00	£7.50	£39.00	£31.00*

* Price per week. 4 week rates must be agreed at time of hire. Heights specified are platform height, not working height.

WARNING - EQUIPMENT SPECIFICATION MAY VARY SLIGHTLY. IF IN DOUBT PLEASE PHONE TO CHECK

All prices shown exclude VAT. 4 week rates must be agreed at time of hire.

GROUND GUARDS

This heavy-duty plastic ground mat system is ideal for construction sites and events allowing heavy equipment to manoeuver across the ground with minimal disturbance to the ground itself. They are lightweight at only 39kg each and can be easily slotted together without tools. These ground mats are hard wearing and can handle machine weights up to 60 tonnes.

HIRE RATES			
Code	Size (LXW)	1 week	4 weeks
GROUND	2.4m x 1.2m	£15.00	£12.00*
L			

AVAILABLE FOR DELIVERY OR COLLECTION AT OUR SOUTHEND HIRE CENTRE. FOR MORE INFORMATION CALL 01702 545454

Price per week. 4 week rates must be agreed at time of hi Price shown is for one ground guard.



IPAF TRAINING



We offer training for anyone that operates Mobile Elevated Work Plaforms (MEWPs), typically Scissor Lifts, Vertical Platforms, Cherry Pickers, Static or Self-Propelled Booms.

COURSE INFORMATION

- Courses run from Monday to Friday
- Saturday training available at an additional cost
- Approved IPAF Training centre
- On-site training available (subject to certain requirements)
- Group discounts available
- IPAF card and certificate included, valid for 5 years

MACHINE CATEGORIES



3a Mobile Vertical

Scissor lifts, vertical personnel platforms (mobile)



1b Static Boom

Self-propelled booms (outriggers), trailers/pusharound, vehicle mounted platforms

3b Mobile Boom

Self-propelled booms



PRICES - IPAF OPERATOR		
No. of categories	Price from	
1	£150 per person	
2	£175 per person	
3	£225 per person	

TO BOOK

Call - 01702 561818 Visit: www.mark1training.co.uk Email: info@mark1training.co.uk

PASMATRAINING PASMA

This training is for anyone who needs to assemble, alter, dismantle, move, inspect and most importantly use alloy or fibreglass Mobile Access Towers.

COURSE INFORMATION

- Courses run at least twice weekly from Monday to Friday
- Courses scheduled for a minimum of 4 delegates
- Saturday training available at an additional cost
- Approved PASMA Training centre
- On-site training available (subject to certain requirements)
- Group discounts available
- PASMA card and certificate included, valid for 5 years

COURSE AGENDA

- Legislation and regulations
- PASMA Code of Practice
- Tea Break (Tea & Coffee provided by Mark 1 Training)
- Product Standards EN 1004:2004
- Best practice relating to fall protection
- Lunch (provided by Mark 1 Training)
- Inspection of completed mobile access towers
- Completion of tower inspection records
- Hazard awareness



PRICES - PASMA TOW	ERS FOR USERS
Course	Price from

PASMA Towers for Users £99 per person

TO BOOK

Call - 01702 561818 Visit: www.mark1training.co.uk Email: info@mark1training.co.uk



POWERED ACCESS HIRE CENTRE Tel: **01702 561820** <u>Email: access@mark1hire.co.uk</u>

SOUTHEND HIRE CENTRE Tel: **01702 545454** Email: southend@mark1hire.co.uk

RAYLEIGH HIRE CENTRE Tel: **01268 745533** Email: rayleigh@mark1hire.co.uk

CHELMSFORD HIRE CENTRE Tel: **01245 399150** Email chelmsford@mark1hire.co.uk

BASILDON HIRE CENTRE Tel: **01268 904000** Email: basildon@mark1hire.co.uk

TRAINING CENTRES Tel: **01702 561818** Email: info@mark1training.co.uk

www.mark1hire.co.uk